

Oyu Tolgoi Drill Results – May 30 to July 22, 2002

Holes 210 – 217, 219, 224 and 226

Hole Number	Hole Depth	From	To	Interval	Au	Cu
	(m)	(m)	(m)	(m)	(g/t)	(%)
OTD210	689.9	6	66	60	0.03	0.10
		66	72	6	0.02	0.43
		72	80	8	0.00	0.07
		80	96	16	dyke	
		96	166	70	0.03	0.04
		166	198	32	0.47	0.42
		198	214	16	0.09	0.12
		214	398	184	0.51	0.49
		398	430	32	0.07	0.05
		430	456	26	0.58	0.57
		456	686.9	230.9	0.04	0.08
OTD211	552.45	0	64	64	0.00	0.09
		64	78	14	0.01	0.86
		78	124	46	0.03	0.06
		124	386	262	0.08	0.89
	including	272	386	114	0.11	1.33
		386	470	84	0.01	0.10
		470	486	16	0.49	0.69
		514	542	28	0.58	0.56
		542	552.5	10.5	0.11	0.09
OTD212	559.8	1.5	136	134.5	0.02	0.06
		136	152	16	dyke	
		152	290	138	0.02	0.05
		290	448	158	0.04	0.32
		448	464	16	0.01	0.05
		464	494	30	0.02	0.34
		494	510	16	dyke	
		510	559.8	49.8	0.02	0.56
OTD213	808	0	114	114	no significant results	
		114	294	180	0.05	0.46
		294	304	10	dyke	
		304	386	82	0.04	0.12
		386	408	22	0.11	0.34
Hole Number	Hole Depth	From	To	Interval	Au	Cu
	(m)	(m)	(m)	(m)	(g/t)	(%)
OTD213		408	438	30	dyke	

		438	584	146	0.13	0.16
		584	596	12	no significant results	
OTD214	750.4	0	146	146	0.01	0.04
		146	170	24	0.27	0.38
		170	196	26	dyke	
		196	394	198	0.35	0.25
		394	508	114	0.15	0.18
		508	750.4	242.4	0.06	0.05
OTD215	522.1	0	50	50	leached cap	
		50	158	108	0.06	0.50
		174	224	50	0.04	0.68
		224	256	32	0.07	0.26
		256	282	26	dyke	
		282	302	20	0.02	0.06
		302	418	116	0.03	0.43
		418	522.1	104	0.02	0.31
OTD216	574.2	0	22	22	leached cap	
		22	32	10	0.04	1.21
		32	92	60	0.03	0.05
		92	142	50	0.05	0.28
		142	410	268	0.07	0.70
	including	340	410	70	0.08	0.89
		410	464	54	0.02	0.06
		464	558	94	0.15	0.58
		558	574.2	16.2	0.07	0.09
OTD217	512	0	50	50	leached cap	
		50	160	110	0.05	0.49
		160	284	124	0.07	1.20
		284	312	28	0.03	0.27
		312	386	74	0.12	0.64
		386	400	14	dyke	
		400	494	94	0.25	0.65
		494	512	18	0.01	0.09
OTD219	600.2	0	44	44	0.01	0.13
		44	122	78	0.06	0.45
Hole Number	Hole Depth	From	To	Interval	Au	Cu
	(m)	(m)	(m)	(m)	(g/t)	(%)
OTD219		122	150	28	dyke	
		150	180	30	0.08	0.43
		180	208	28	dyke	
		208	600.2	392.2	0.04	0.77

OTD224	412	24	30	6	0.02	1.85
		66	336	270	0.06	0.50
		336	410	74	0.05	0.22
		482	568	86	0.12	0.60
OTD226	857	0	54	54	leached	
		54	116	62	0.05	1.21
		116	264	148	0.03	0.83
		264	322	58	0.03	0.04
		322	416	94	0.42	1.90
		416	532	116	0.03	0.02
		532	590	58	0.09	0.23
		590	762	172	1.32	1.02
	including	208	600.2	392.2	0.18	0.40